



FRAGOS™ FLOW CHART

WEB SITE ORDERING, REMOTE ACCESS ORDERING,
FILE TRANSFER PROTOCOL (FTP) ORDERING OR
EMAIL ORDERING FROM THE COMPUTER.




FIG. 1-1

FIG. 1-2

FIG. 1

FIG. 1-1

FRAGOS™ FLOW CHART CONT.




FIG. 1-2

INDIVIDUAL'S NAME	INDIVIDUAL'S NAME
TITLELINE 1 (IF REQUIRED)	FIRST VERY LONG LINE OF ADDRESS
TITLELINE 2 (IF REQUIRED)	SECOND LINE OF ADDRESS
COMPANY (IF REQUIRED)	THIRD LINE OF ADDRESS WITH ZIP
TEL () () () () ()	COUNTRY
FAX () () () () ()	INDIVIDUAL'S NAME
MOBILE () () () () () () () ()	@xxx.atheranderesen.com
	A MEMBER OF ANDERSEN WORLDWIDE SC

A MEMBER OF ANDERSEN WORLDWIDE SC

A MEMBER OF ANDERSEN WORLDWIDE SC

A MEMBER OF ANDERSEN WORLDWIDE SC

PAGE SETUP

PAGE: LETTER

PAGE DIMENSIONS: 8.5 BY 11 INCHES

ORIENTATION: ☒ TALL ☐ WIDE

START PAGE #: 1 NUMBER OF PAGES: 1

OPTIONS: ☒ DOUBLE-SIDED ☒ FACING PAGES
☐ RESTART PAGE NUMBERING

MARGIN IN INCHES: INSIDE 1 OUTSIDE 0.75
TOP 0.75 BOTTOM 0.75

TARGET PRINTER RESOLUTION: 2400 dpi

OK

CANCEL

NUMBERS...

FIG. 3






FIG. 4




FIG. 5

SAVE PUBLICATION AS

LESSON 1 ▼

LOGOTYPE.TIF

SAMPLETEXT

↑

↓

SAVE AS:

☐ PUBLICATION

☒ TEMPLATE

COPY:

☒ NO ADDITIONAL FILES

☐ FILES FOR REMOTE PRINTING

☐ ALL LINKED FILES

☐ HARD DRIVE

LETTERHEAD

☐ SAVE PREVIEW

EJECT

DESKTOP

OK

CANCEL

FIG. 6

FIG. 7-1
FIG. 7-2
FIG. 7-3
FIG. 7-4
FIG. 7-5
FIG. 7-6
FIG. 7-7
FIG. 7-8
FIG. 7-9
FIG. 7-10
FIG. 7-11
FIG. 7-12
FIG. 7-13
FIG. 7-14

FIG. 7

Field Name	Field Type	Formula/Entry Option
Address1	Text	Indexed
Address2	Text	Indexed
Address3	Text	Indexed
Address4	Text	
AddressBlock	Calculation(Text)	= If(Title2 ≠ Empty, "¶", Empty) & If(Legal Entity ≠ Empty, AddressBlockEur, If(Sector Name ≠ Empty, Sector Name Calc & "¶", Empty) & If(& "¶", Empty) & If(Group Name ≠ Empty, Group Name & "¶", Empty) & If(Address1 ≠ Empty, Address1 & "¶", Empty) & If(Address2 ≠ Empty, Address2 & "¶", Empty) & If(Address3 ≠ Empty, Address3 & "¶", Empty) & If(City ≠ Empty, City & " " & " ", Empty) & If(State ≠ Empty, StateForAddressBlock & " ", Empty) & If(Zip Code ≠ Empty, Zip Code & "¶", Empty & "¶") & If(DirectDial ≠ Empty, "phone" & " " & DirectDial & "¶", Empty) & If(Fax ≠ Empty, "fax" & " " & Fax & "¶", Empty) & If(Mobile ≠ Empty, "cellular" & " " & Mobile & "¶", Empty) & If(Pager ≠ Empty, "pager" & " " & Pager & "¶", Empty) & If(Email ≠ Empty, Email. " " & "¶"))
AddressBlock for Large Label Calculation(Text)		= Company Name & "¶" & Name & "¶" & If(Legal Entity ≠ Empty, AddressBlockEurLabels, If(Address1 ≠ Empty, Address1 & "¶", Empty) & If(Address2 ≠ Empty, Address2 & "¶", Empty) & If(Address3 ≠ Empty, Address3 & "¶", Empty) & If(City ≠ Empty, City & " " & " ", Empty) & If(State ≠ Empty, State & " ", Empty) & If(Zip Code ≠ Empty, Zip Code, Empty))
AddressBlockEur	Calculation(Text)	= If(Legal Entity ≠ Empty, Legal Entity & "¶", Empty) & If(Sector Name ≠ Empty, Sector Name Calc & "¶", Empty) & If(& "¶", Empty) & If(Group Name ≠ Empty, Group Name & "¶", Empty) & If(Address1 ≠ Empty, Address1 & "¶", Empty) & If(Address2 ≠ Empty, Address2 & "¶", Empty) & If(Address3 ≠ Empty, Address3 & "¶", Empty) & If(Address4 ≠ Empty, Address4 & "¶", Empty) & If(Zip Code ≠ Empty, Zip Code & " " & " ", Empty) & If(City ≠ Empty, City & " " & " ", Empty) & If(Country ≠ Empty, Country & "¶", Empty) & If(DirectDial ≠ Empty, "tel" & " " & DirectDial & "¶", Empty) & If(Fax ≠ Empty, "fax" & " " & Fax & "¶", Empty) & If(Mobile ≠ Empty, "mobile" & " " & Mobile & "¶", Empty) & If(Pager ≠ Empty, "pager" & " " & Pager & "¶", Empty) & If(Email ≠ Empty, Email. " " & "¶")
AddressBlockEurLabels	Calculation(Text)	=If(Legal Entity ≠ Empty, Legal Entity & "¶", Empty) &

FIG. 7-1

Field Name	Field Type	Formula/Entry Option
		If(Address1≠Empty, Address1 & "¶",Empty) & If(Address2≠Empty, Addresss2 & "¶",Empty) & If(Address3≠Empty, Address3 & "¶",Empty) & If(Zip Code≠Empty, Zip Code & "," & "",Empty) & If(City≠Empty, City & "," & "",Empty) & If(Countrty≠Empty, Country & "¶",Empty)
BCard01	Calculation(Text)	="open" & Quote & "████████████████████" & Quote & "¶" & "measureunits 3,3, 10"&"¶"& "select 16p5, 11p10"&"¶" & "textedit"&"¶" & "selectall" &"¶" & If(Name≠Empty,"textenter" & Quote & NameTitle & Quote &"¶","textenter" & Quote & " " & Quote &"¶") & "textcursor -textblock" &"¶" & "textselect+eol" &"¶" & "font" & Quote & "CorporateSBQ-Medium" & Quote &"¶" & "select 17p7,16p7"&"¶" & "textedit"&"¶" & "selectall"&"¶" & "textenter " & Quote & Trim(AddressBlock) & Quote & "¶" & "textcursor -textblock" &"¶" & "textselect+eol 2" &"¶" & "font" & Quote & "CorporateSExpBQ-Medium" & Quote& "¶" & "select 16p5, 11p10"&"¶" & "textedit"&"¶" & "selectall"&"¶" & "textcursor-textblock"&"¶" & "textselect+eol" &"¶" & "Color" & Qoute&"PANTONE 471 CV"& Qoute&"¶" & "select 17p7,16p7"&"¶" & "textedit"&"¶" & "selectall"&"¶" & "textcursor-textblock"&"¶" & "textselect+eol"2 &"¶" & "Color" & Qoute &"PANTONE 471 CV" & Qoute&"¶" & "select 16p5,11p10"&"¶" & "textedit"&"¶" & "textcursor+line"&"¶" & "textselect+textblock"&"¶" &

FIG. 7-2

Field Name	Field Type	Formula/Entry Option
		"Sizebump downone"&"¶"& "select 16p5,11p10"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "KernText 0.025"&"¶"& "select 17p7,16p7"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "KernText 0.025"&"¶"& "select 17p7,16p7"&"¶"& "textedit"&"¶"& "textcursor +textblock"&"¶"& "textselect-eol"&"¶"& "font"& Quote & "CorporateSBQ-Regular"& Quote &"¶"& "select 68p6,1p11"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "textenter"&Quote&(PlateRefNum)&Quote&"¶"
	Calculation(Text)	=If(Item Ordered="Business Cards", "open"& Quote & " " & Quote &"¶"& "measureunits 3,3, 10"&"¶"& "select 16p5, 11p7"&"¶"& "textedit"&"¶"& "selectall"&"¶"& If(Name ≠ Empty,"textenter"& Quote & Name Title & Quote &"¶", "textenter"& Quote & " " & Quote &"¶") & "textcursor -textblock"&"¶"& "textselect+eol"&"¶"& "font"& Quote & "CorporateSBQ-Medium"& Quote &"¶"& "select 17p5,16p3"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "textenter"& Quote & Trim(AddressBlock) & Quote &"¶" , Empty)& "textcursor -textblock"&"¶"& "textselect+eol2"&"¶"& "font"& Quote & "CorporateSBQ-Medium"& Quote &"¶"&

FIG. 7-3

Field Name	Field Type	Formula/Entry Option
		"select 16p5,11p7"&"& "textedit"&"& "textcursor+line"&"& "textselect+textblock"&"& "Sizebump downone"&"& "select 17p5,16p3"&"& "textedit"&"& "selectall"&"& "KernText 0.025"&"& "select 16p5,11p7"&"& "textedit"&"& "selectall"&"& "KernText 0.025"&"& "select 17p5,16p3"&"& "textedit"&"& "textcursor +textblock"&"& "textselect - eol"&"& "font"& Quote & "CorporateSBQ-Regular"& Quote &"& "select 71p3,2p3"&"& "textedit"&"& "selectall"&"& "textenter "& Quote & (PlateRefNum)& Quote & "&
	Calculation(Text)	="open"&Quote&" &"&Quote &"& "measureunits 3,3, 10"&"& "select 16p3, 11p3"&"& "textedit"&"& "selectall"&"& If(Name ≠ Empty,"textenter"& Quote & Name Title & Quote &"", "textenter"& Quote & " "& Quote &"& "textcursor -textblock"&"& "textselect+eol"&"& "font"& Quote & "CorporateSBQ-Medium"& Quote &"& "select 17p2,16p7"&"& "textedit"&"& "selectall"&"& "textenter "& Quote & Trim(AddressBlock) & Quote & "& "textcursor -textblock"&"&

FIG. 7-4

Field Name	Field Type	Formula/Entry Option
		"\"textselect+eol2\" &\"\" & "\"font\" & Quote & \"CorporateSExpBQ-Medium\" & Quote &\"\" & "\"select 16p3,11p3\"&\"\" & "\"textedit\"&\"\" & "\"selectall\"&\"\" & "\"textcursor -textblock\" &\"\" & "\"textselect+eol\" &\"\" & "\"Color\"&Quote&\"PANTONE 471CV\"&Quote&\"\"& "\"select 17p2,16p7\"&\"\" & "\"textedit\"&\"\" & "\"selectall\"&\"\" & "\"textcursor -textblock\" &\"\" & "\"textselect+eol2\" &\"\" & "\"Color\"&Quote&\"PANTONE 471CV\"&Quote&\"\"& "\"select 16p3,11p3\"&\"\" & "\"textedit\"&\"\" & "\"textcursor+line\"&\"\" & "\"textselect+textblock\"&\"\"& "\"Sizebump downnone\"&\"\"& "\"select 16p3,11p3\"&\"\"& "\"textedit\"&\"\"& "\"selectall\"&\"\"& "\"KernText 0.025\"&\"\"& "\"select 17p2,16p7\"&\"\"& "\"textedit\"&\"\"& "\"selectall\"&\"\"& "\"KernText 0.025\"&\"\"& "\"select 17p2,16p7\"&\"\" & "\"textedit\"&\"\" & "\"textcursor +textblock\" &\"\" & "\"textselect - eol\" &\"\" & "\"font\" & Quote & \"CorporateSBQ-Regular\" & Quote &\"\" & "\"select 71p5,2p5\"&\"\" & "\"textedit\"&\"\" & "\"selectall\"&\"\" & "\"textenter \" & Quote & (PlateRefNum)& Quote & \"\"

FIG. 7-5

Field Name	Field Type	Formula/Entry Option
	Calculation(Text)	=If (Item Ordered="Business Cards", "open"&Quote&" " & Quote &"& "measureunits 3,3, 10"&"& "select 16p6, 10p7"&"& "textedit"&"& "selectall"&"& If(Name ≠ Empty,"textenter" & Quote & NameTitle & Quote &"", "textenter" & Quote & " " & Quote &"") & "textcursor -textblock" &"& "textselect+eol" &"& "font" & Quote & "CorporateSBQ-Medium" & Quote &"& "select 17p6,15p7"&"& "textedit"&"& "selectall"&"& "textenter" & Quote & Trim(AddressBlock) & Quote &"& , Empty)& "textcursor -textblock" &"& "textselect+eol"2 &"& "font" & Quote & "CorporateSEXPQ-Medium" & Quote &"& "select 16p6,10p7"&"& "textedit"&"& "textcursor+line"&"& "textselect+textblock"&"& "Sizebump downnone"&"& "select 16p6,10p7"&"& "textedit"&"& "selectall"&"& "KernText 0.025"&"& "select 17p6,15p7"&"& "textedit"&"& "selectall"&"& "KernText 0.025"&"& "select 17p6,15p7"&"& "textedit"&"& "textcursor +textblock" &"& "textselect - eol" &"& "font" & Quote & "CorporateSBQ-Regular" & Quote &"& "select 72p2,1p8"&"&

FIG. 7-6

Field Name	Field Type	Formula/Entry Option
BCard02	Calculation(Text)	"textedit"&"¶" & "selectall"&"¶" & "textenter" & Quote & (PlateRefNum) & Quote & "¶" ="measureunits 3,3, 10"&"¶"& "select 16p10, 32p11"&"¶" & "textedit"&"¶" & "selectall"&"¶" & If(Name ≠ Empty,"textenter" & Quote & Name Title & Quote &"¶", "textenter" & Quote & " " & Quote & "¶") & "textcursor -textblock" &"¶" & "textselect+eol" &"¶" & "font" & Quote & "CorporateSBQ-Medium" & Quote &"¶" & "select 17p6,37p10"&"¶" & "textedit"&"¶" & "selectall"&"¶" & "textenter" & Quote & Trim(AddressBlock) & Quote & "¶" & "textcursor -textblock" &"¶" & "textselect+eol"2 &"¶" & "font" & Quote & "CorporateSEXPBQ-Medium" & Quote &"¶" & "select 16p10,32p11"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "textcursor-textblock"&"¶"& "textselect+eol" &"¶" & "Color" & Quote & "PANTONE 471 CV" & Quote & "¶" & "select 17p6,37p10"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "textselect-textblock"&"¶"& "textselect+eol 2" &"¶" & "Color" & Quote & "PANTONE 471 CV" & Quote & "¶" & "select 16p10,32p11"&"¶"& "textedit"&"¶"& "textcursor+line"&"¶"& "textselect+textblock"&"¶"& "Sizebump downone"&"¶"& "select 17p6,37p7"&"¶"& "textedit"&"¶"& "selectall"&"¶"&

FIG. 7-7


Field Name	Field Type	Formula/Entry Option
		"KernText 0.025"&"¶"& "select 16p10,32p11"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "KernText 0.025"&"¶"& "select 17p6,37p10"&"¶"& "textedit"&"¶"& "textcursor +textblock"&"¶"& "textselect - eol"&"¶"& "font"& Quote & "CorporateSBQ-Regular"& Quote &"¶"
	Calculation(Text)	="measureunits 3,3, 10"&"¶"& "select 16p7, 32p7"&"¶"& "textedit"&"¶"& "selectall"&"¶"& If(Name ≠ Empty,"textenter"& Quote & Name Title & Quote &"¶","textenter"& Quote & " "& Quote &"¶") & "textcursor -textblock"&"¶"& "textselect+eol"&"¶"& "font"& Quote & "CorporateSBQ-Medium"& Quote &"¶"& "select 16p9,37p1"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "textenter"& Quote & Trim(AddressBlock)& Quote &"¶"& "textcursor -textblock"&"¶"& "textselect+eol"2 &"¶"& "font"& Quote & "CorporateSEXPBQ-Medium"& Quote &"¶"& "select 16p7,32p7"&"¶"& "textedit"&"¶"& "textcursor+line"&"¶"& "textselect+textblock"&"¶"& "Sizebump downnone"&"¶"& "select 16p9,37p1"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "KernText 0.025"&"¶"& "select 16p7,37p1"&"¶"& "textedit"&"¶"& "selectall"&"¶"&

FIG. 7-8

Field Name	Field Type	Formula/Entry Option
		"KernText 0.025"&"¶"& "select16p9,37p1"&"¶"& "textedit"&"¶"& "textcursor +textblock"&"¶")& "textselect - eol"&"¶"& "textselect+eol"2 &"¶"& "Color"&Quote&"PANTONE 471CV"&Quote&"¶"& "select64p11,95p1"&"¶"& "textedit"&"¶"& "textcursor+line"&"¶"& "textselect+textblock"&"¶"& "Sizebump downnone"&"¶"& "select 65p2,99p4"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "KernText 0.025"&"¶"& "select 64p11,95p1"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "KernText 0.025"&"¶"& "select65p2,99p4"&"¶"& "textedit"&"¶"& "textcursor +textblock"&"¶")& "textselect - eol"&"¶"& "font"&Quote&"CorporateSBQ-Medium"&Quote&"¶"&
	Calculation(Text)	="measureunits 3,3, 10"&"¶" "select 64p9, 94p8"&"¶"& "textedit"&"¶"& "selectall"&"¶"& If(Name ≠ Empty,"textenter"&Quote&Name Title&Quote &"¶","textenter"&Quote&" "&Quote&"¶")& "textcursor -textblock"&"¶")& "textselect+eol"&"¶"& "font"&Quote&"CorporateSBQ-Medium"&Quote&"¶"& "select65p6,99p7"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "textenter"&Quote&Trim(AddressBlock)&Quote&"¶"& "textcursor -textblock"&"¶")&

FIG. 7-9

Field Name	Field Type	Formula/Entry Option
		"select+eol"2 &"¶" & "font" & Quote & "CorporateSEXPBQ-Medium" & Quote &"¶" & "select 64p9,94p8"&"¶"& "textedit"&"¶"& "textcursor+line"&"¶"& "textselect+textblock"&"¶"& "Sizebump downone"&"¶"& "select 65p6,99p7"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "KernText 0.025"&"¶"& "select 64p9,94p8"&"¶"& "textedit"&"¶"& "selectall"&"¶"& "KernText 0.025"&"¶"& "select 65p6,99p7"&"¶"& "textedit"&"¶"& "textcursor +textblock" &"¶" & "textselect - eol" &"¶" & "font" & Quote & "CorporateSBQ-Regular" & Quote &"¶" &
City	Text	Indexed
Company Name	Calculation(Text)	Indexed =If(Sector Name=" ",Sector Name,If(Sector Name=" ", " ",Sector Name,If(Sector Name=" ", " ",Sector Name," ")))
Country	Text	Indexed
Date Created	Date	Auto-enter the:"Creation Date" Prevent data that is automatically entered from being changed. Indexed
Date Modified	Date	Auto-enter the:"Modification Date" Prevent data that is automatically entered from being changed
DirectDial	Text	
DupYesNo	Text	
Email	Text	Indexed
emailcalc	Calculation(Text)	=If(Length(Email)>32,"too many characters",Empty)
EmailInstructions	Text	

FIG. 7-10

Field Name	Field Type	Formula/Entry Option
Empty	Text	
FAEC Comments	Text	Indexed
Fax	Text	
Group Name	Text	Indexed
InternationalCode	Text	
IPAddress	Text	
Item Ordered	Text	Auto-enter:"Business Cards" Repeating field with 3 repetitions
Job Ticket	Text	
Legal Entity	Text	Indexed
Local Code	Text	
Mobile	Text	Indexed
Name	Text	Indexed
Name Title	Calculation(Text)	=Name&" "& Title&" "& Title2&" "
NewPlateNum	Number	Auto-enter:"26"
Pager	Text	
PlateRefNum	Text	Indexed
Quantity Ordered	Number	Auto-enter:"250"
Quote	Calculation(Text)	Indexed =""
Record Modified	Text	Auto-enter calculation=If(IsEmpty(FAEC Comments),"", "x")
Record Number	Number	Serial Number with Current Value:"" Increment:"1" Prevent data that is automatically entered from being changed. Indexed
Sector Name	Text	Indexed
Sector Name Calc	Calculation(Text)	=If(Sector Name=" ", " ", " ", If(Legal Entity ≠ Empty and Sector Name Empty , Sector Name))
SenttoFilm	Text	Auto-enter:"No" Value List(Custom Values): Yes

FIG. 7-11

Field Name	Field Type	Formula/Entry Option
		No
		Indexed
SenttoFilmDate	Date	Indexed
ShipAddress	Text	Indexed
ShipAddressCalc	Calculation(Text)	Indexed
		=If(ShipSameAsOrder="Yes",Address1&" "&Address2 &" "&Address3,ShipAddress)
ShipCity	Text	Indexed
ShipCityCalc	Calculation(Text)	Indexed
		=If(ShipSameAsOrder="Yes",City,ShipCity)
ShipCountry	Text	
ShipCountryCalc	Calculation(Text)	Indexed
		=If(ShipSameAsOrder="Yes",Country,ShipCountry)
ShipName	Text	Indexed
ShipNameCalc	Calculation(Text)	Indexed
		=If(ShipSameAsOrder="Yes",Name,ShipName)
ShipSameAsOrder	Text	Indexed
ShipState	Text	Indexed
ShipStateCalc	Calculation(Text)	Indexed
		=If(ShipSameOrder="Yes",State,ShipState)
ShipZip	Text	
ShipZipCalc	Calculation(Text)	Indexed
		=If(ShipSameAsOrder="Yes",Zip Code,ShipZip)
SpareDate1	Date	
SpareDate2	Date	
SpareGlobalContain	Global(Container)	
SpareGlobalDate	Global(Date)	
SpareGlobalNum	Global(Number)	
SpareGlobalText	Global(Text)	
SpareGlobalTime	Global(Time)	
SpareNum2	Number	
SpareText1	Text	
SpareText2	Text	
SpareTime1	Time	
SpareTime2	Time	
Special Instructions	Text	Indexed
State	Text	Indexed
StateCalc	Calculation(Text)	=If(State="AL","Alabama",If(State="AK","Alaska",If(State="AZ",

FIG. 7-12

Field Name	Field Type	Formula/Entry Option
		"Arizona",If(State="AR","Arkansas",If(State="CA","California", If(State="CO","Colorado",If(State="CT","Connecticut",If(State= "DE","Delaware",If(State="FL","Florida",If(State="GA","Georgia", If(State="HI","Hawaii",If(State="ID","Idaho",If(State="IL","Illinois", If(State="IN","Indiana",If(State="IA","Iowa",If(State="KS", "Kansas",If(State="KY","Kentucky",If(State="LA","Louisiana", If(State="ME","Maine",If(State="MD","Maryland",If(State="MA", "Massachusetts",If(State="MI","Michigan",If(State="MN", "Minnesota",If(State="MS","Mississippi",If(State="MO","Missouri", If(State="MT","Montana",If(State="NE","Nebraska",If(State="NV", "Nevada",If(State="NH","New Hampshire",If(State="NJ","New Jersey",If(State="NM","New Mexico",If(State="NY","New York", If(State="NC","North Carolina",If(State="ND","North Dakota", If(State="OH","Ohio",If(State="OK","Oklahoma",If(State="OR", "Oregon",If(State="PA","Pennsylvania",If(State="RI","Rhode Island",If(State="SC","South Carolina",If(State="SD","South Dakota",If(State="TN","Tennessee",If(State="TX","Texas",If(State ="UT","Utah",If(State="VT","Vermont",If(State="VA","Virginia", If(State="DC","Washington DC",If(State="WA","Washington", If(State="WV","West Virginia",If(State="WI","Wisconsin",If(State= "WY","Wyoming",Empty))))))))))))))))))))))))))))))))))))))
StateforAddressBlock	Calculation(Text)	=If(StateCalc ≠ Empty, StateCalc,State)
Tagline Translation	Text	Auto-enter:"Include Tag line in English"
TaglineTranslationLanguage	Text	
TimeCreated	Time	Auto-enter the:"Creation Time"
		Prevent data that is automatically entered from being changed.
Title	Text	
Title2	Text	Indexed
Title Instructions	Text	
Translation Faxnumber	Text	
Translation Language	Text	Indexed
Translation needed?	Text	Auto-enter:"English only"
		Indexed
UserInputInitials	Text	
UserModifiedInitials	Text	
View Record Number	Number	Indexed
Void	Text	Value List(Custom Values):

FIG. 7-13

Field Name	Field Type	Formula/Entry Option
		OK
		Void
		Manual Type
		Follow up
		ReRun
		Translation Done
		Indexed
Webaddress	Text	
Zip Code	Text	Indexed

FIG. 7-14

FIG. 8-1
FIG. 8-2
FIG. 8-3
FIG. 8-4
FIG. 8-5
FIG. 8-6
FIG. 8-7
FIG. 8-8
FIG. 8-9
FIG. 8-10

FIG. 8

```

<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML//EN">
<html>

<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-1">
<meta name="GENERATOR" content="Microsoft FrontPage2.0">
<title>[REDACTED]</title>
</head>

<body background="images/background.gif" bgcolor="#FFFFFF">

<h1 align="center">[REDACTED]</h1>

<p><br>
</p>

<h2 align="center">All fields with gold arrows()
are required.<br>
Other items are optional.</h2>

<CENTER>
<TABLE BORDER=0CELLPADDING=15><TR><TH BGCOLOR="#CCCCCC">
<FONT COLOR="#FF0000">
Type in upper and lower case.<BR>DO NOT TYPE IN ALL CAPS.
</FONT>
</TH></TR></TABLE>
</CENTER>

<hr size=1>

<form action="FMPro" method="POST">
  <input type="hidden" name="-db" value="[REDACTED]">
  <input tyoe="hidden" name="-format" value="[REDACTED]">
  <input type="hidden" name="-error" value="gb_err.htm">
  <input type="hidden" name="-lay" value="Order Form">

<!-- TABLE ORDER START-->

```

FIG. 8-1


```
<TABLE BORDER=0 CELLPADDING=3 CELLBORDER=0 CELLSPACING=1>
```

```
<TR>
```

```
<TD VALIGN=TOP ALIGN=RIGHT></TD>
```

```
<TD VALIGN=TOP COLSPAN=2>
```

```
<b>Ordering Info:</b>
```

```
</TD>
```

```
</TR><TR>
```

```
<TD VALIGN=TOP ALIGN=RIGHT></TD>
```

```
<TD VALIGN=TOP>Item Ordered:</TD>
```

```
<TD VALIGN=TOP><input type="checkbox" checked name="Item Ordered"
value="Business Cards">Business Cards</TD>
```

```
</TR><TR>
```

```
<TD VALIGN=TOP ALIGN=RIGHT></TD>
```

```
<TD VALIGN=TOP>Quantity Ordered:</TD>
```

```
<TD VALIGN=TOP>
```

```
<input type="radio" checked name="Quantity Ordered" value="250">250 @
+ taxes and shipping.<BR>
```

```
<input type="radio" checked name="Quantity Ordered" value="500">500@
+ taxes and shipping.<BR>
```

```
<input type="radio" checked name="Quantity Ordered" value="1000">1000@
+ taxes and shipping.<BR>
```

```
<input type="radio" name="Quantity Ordered" value="Other">Other(Please order in units of
500)<BR>
```

If Other, please specify:

```
<input type="text" size=10 name="Quantity Ordered">
```

```
<BR>
```

```
(Additional charges will apply for special instructions and translation).<BR>
```

```
<PRE><BR></PRE>
```

FIG. 8-2

</TD>

</TR><TR>

<TD ALIGN=RIGHT></TD>

<TD>Name(First Middle Last):</TD>

<TD><input type="text" size="30" maxlength="30" name="Name"></TD>

</TR><TR>

<TD></TD>

<TD>Title Line1:</TD>

<TD><input type="text" size="30" maxlength="30" name="Title"> (see * below)</TD>

</TR><TR>

<TD></TD>

<TD>Title Line2:</TD>

<TD><input type="text" size="30" maxlength="30" name="Title2"></TD>


</TR><TR>

<TD></TD>

<TD COLSPAN=2>

<blockquote>

<p>*



</p>

</blockquote>

</TD>

</TR><TR>

FIG. 8-3

```

<TD></TD>
<TD>Organizational Name:</TD>
<TD><input type="text" size="40" name="Sector Name" value="
" ></TD>

</TR><TR>

<TD></TD>
<TD>Group Name:</TD>
<TD><input type="text" size="40" name="Group Name" value=""></TD>
</TR><TR>

<TD></TD>
<TD>Address Line1:</TD>
<TD><input type="text" size="30" maxlength="30" name="Address1"></TD>

</TR><TR>

<TD></TD>
<TD>Address Line2:</TD>
<TD><input type="text" size="30" maxlength="30" name="Address2"></TD>

</TR><TR>

<TD></TD>
<TD>Address Line3:</TD>
<TD><input type="text" size="30" maxlength="30" name="Address3"></TD>

</TR><TR>

<TD></TD>
<TD>City:</TD>
<TD><input type="text" size="30" name="City"></TD>

</TR><TR>

<TD></TD>
<TD>State:</TD>
<TD><input type="text" size="25" name="State"></TD>

</TR><TR>

```

FIG. 8-4

```
<TD></TD>
<TD>ZipCode:</TD>
<TD><input type="text" size="24" name="ZipCode"></TD>
```

```
</TR><TR>
```

```
<TD></TD>
<TD>Phone:</TD>
<TD><input type="text" size="24" name="DirectDial"></TD>
```

```
</TR><TR>
```

```
<TD></TD>
<TD>Fax:</TD>
<TD><input type="text" size="24" name="Fax"></TD>
```

```
</TR><TR>
```

```
<TD></TD>
<TD>Mobile:</TD>
<TD><input type="text" size="25" name="Mobile"></TD>
```

```
</TR><TR>
```

```
<TD></TD>
<TD>Pager:</TD>
<TD><input type="text" size="24" name="Pager"></TD>
```

```
</TR><TR>
```

```
<TD></TD>
<TD>Email Address:</TD>
<TD><input type="text" size="50" name="Email"><BR>(see ** below)</TD>
```

```
</TR><TR>
```



FIG. 8-5



</TR><TR>

<TD COLSPAN=3>

<hr size=1>

</TD>

BEST AVAILABLE COPY

</TR><TR>

<TD></TD>

<TD COLSPAN=2>Translation and back of card Info:</TD>

</TR><TR>

<TD></TD>

<TD COLSPAN=2>Font of Card Language</TD>

<TR></TR>

<TD></TD>

<TD COLSPAN=2>

<input type="radio" name="TranslationFrontDummy" value="english" checked>

Produce as typed.

<input type="radio" name="TranslationFrontDummy" value="other">Translation
needed in

<input type="text" size="20" name="Translation Language"> language.

(Note: Translation only will be faxed to you for approval.)

<PRE>
</PRE>

</TD>

</TR><TR>

FIG. 8-6

```

<TD></TD>
<TD COLSPAN=2>Back of Card Language(Optional)</TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2>
<input type="radio" name="TranslationBackDummy" value="english" checked>
Produce as typed.<BR>
<input type="radio" name="TranslationBackDummy" value="other">Translation
needed in
<input type="text" size="20" name="Translation Back Language"> language.<BR>
<IMG SRC="/images/blank.gif" WIDTH=18 Height=2 Border=0>
(Note: Translation only will be faxed to you for approval.)
<PRE><BR></PRE>
</TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2>Back of Card Information(Optional)</TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2><TEXTAREA NAME="Back of Card Info" ROWS=10,
COLS=50></TEXTAREA>
</TD>

</TR><TR>

<TD COLSPAN=3><hr size=1></TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2>Special Instructions:</TD>

</TR><TR>

```

FIG. 8-7

```

<TD></TD>
<TD COLSPAN=2><input type="text" size="70" name="Special Instructions"></TD>

</TR><TR>
<TD COLSPAN=3><hr size=1></TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2><b>Shipping Info:</b></TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2><b>Is shipping info same as order info?:</b></TD>

</TR><TR>

<TD></TD>
<TD COLSPAN=2><input type="radio" checked name="ShipSameAsOrder" value="Yes">
Yes
<input type="radio" name="ShipSameAsOrder" value="No">No<BR>
<b><BR>&quot;If no, Please fill out information below.&quot;</b></TD>

</TR><TR>

<TD></TD>
<TD>Ship To Name:</TD>
<TD><input type="text" size="50" name="ShipName"></TD>

</TR><TR>

<TD></TD>
<TD>Ship Address:</TD>
<TD><input type="text" size="60" name="ShipAddress"></TD>

</TR><TR>

<TD></TD>
<TD>Ship City:</TD>
<TD><input type="text" size="30" name="ShipCity"></TD>

```

FIG. 8-8


```
</body>  
</html>
```

FIG. 8-10

```
tell application "FileMaker Pro"
  activate
  open "Set the path name to the file you are opening"
  do script FileMaker script "Type name of script here"
end tell
```

```
tell application "Finder"
  if exists file "Set Path and File Name" then
    tell application "Finder"
      activate
      select file "File Name goes here" of folder "Set
Folder Path" of startup disk
      open selection
    end tell
    tell application "FileMaker Pro"
      activate
      do script FileMaker script "Name of Import Script"
of window "Set File maker Pro File Name
    end tell
  end if
end tell
```

FIG. 9

FIG. 10-1

FIG. 10-2

FIG. 10-3

FIG. 10-4

FIG. 10-5

FIG. 10

Script Step/Options

Script Parameters

Copy

Select entire contents

SpareGlobalNum

Import Records

Restore import order

No dialog

Filename: "██████████" (Administration)

Import Order:

Date Created (Date)

Date Modified (Date)

Record Number (Number)

Name (Text)

Email (Text)

Title (Text)

Address1 (Text)

State (Text)

Zip Code (Text)

Country (Text)

DirectDial (Text)

Time Created (Time)

City (Text)

Item Ordered (Text)

Quantity Oredred (Text)

Webaddress (Text)

Address2 (Text)

Title2 (Text)

Fax (Text)

Pager (Text)

Empty (Text)

Translation needed? (Text)

Translation Language (Text)

Sector Name (Text)

ShipName (Text)

ShipAddress (Text)

ShipCity (Text)

ShipState (Text)

ShipZip (Text)

ShipSameAsOrder (Text)

IPAddress (Text)

LegalEntity (Text)

Mobile (Text)

ShipCountry (Text)

FIG. 10-1

Script Step/Options	Script Parameters
	View Record Number (Number)
	Tagline Translation (Text)
	Tagline Translation Language (Text)
	TitleInstructions (Text)
	EmailInstructions (Text)
	Special Instructions (Text)
	SpareNum2 (Number)
	SpareGlobalText (Text)
	SpareGlobalNum (Number)
	SpareGlobalDate (Date)
	SpareGlobalTime (Time)
	SpareDate1 (Date)
	SpareDate2 (Date)
	SpareTime1 (Time)
	SpareTime2 (Time)
	Translation Faxnumber (Text)
	Address3 (Text)
	Group Name (Text)
	<div style="background-color: black; width: 100px; height: 1.2em;"></div> (Text)
	FAEC Comments (Text)
	Record Modified (Text)
	SenttoFilm (Text)
	SenttoFilmDate (Date)
	UserInputInitials (Text)
	UserModifiedInitials (Text)
	JobTicket (Text)
	PlateRefNum (Text)
	Address4 (Text)
	InternationalCode (Text)
	LocalCode (Text)
	SpareText1 (Text)
	SpareText2 (Text)
GO to Record/Request/Page	
First	
Loop	
If	Calculation
	Quantity Ordered="500"
Set Field	Quantity Ordered

FIG. 10-2

Script Step/Options	Script Parameters
	Calculation "250"
Duplicate Record/Request	
Goto Record/Request/Page First	
Else	
If	Calculation Quantity Ordered="1000"
Set Field	Quantity Ordered Calculation "250"
Duplicate Record/Request	
Duplicate Record/Request	
Duplicate Record/Request	
Go to Record/Request/Page First	
Else	
Go to Record/Request/Page Next Exit after last	
End If	
End If	
End Loop	
Paste Select entire contents	SpareGlobalNum
If	Calculation Status(CurrentFoundCount) ≠ 25

FIG. 10-3

Script Step/Options	Script Parameters
New Record/Request	
Set Field	Name
	Calculation
	"Dummy Record"
Set Field	Address1
	Calculation
	"Dummy Record"
Go to Record/Request/Page	
First	
End If	
If	Calculation
	Sector Name=" " or Sector Name=" "
	" or Sector Name=" " or Sector Name=" "
	" or Sector Name=" "
	" or Sector Name=" " or "
	Sector Name=" " or Sector Name=" "
	" or Sector Name=" "
	" or Sector Name= Empty
Perform Script	
Sub-scripts	
Else	
If	Calculation
	Sector Name=
Perform Script	
Sub-scripts	
Else	
If	Calculation
	Sector Name=" "
Perform Script	

FIG. 10-4

Script Step/Options	Script Parameters
Sub-scripts	
Else	
If	Calculation Sector Name=" [REDACTED] "
Perform Script Sub-scripts	[REDACTED]
End If	
End If	
End If	
End If	
Find All	

FIG. 10-5

FILE EDIT MODE SELECT FORMAT SCRIPT WINDOW HELP

10:05 AM 0

AAOrders.fp3

RECORD # 176 OF 176

STEVE D FAUST

TEL 630 920 9300

FAX 630 920 1524

109 SHORE DRIVE

BURR RIDGE IL 60521

UNITED STATES

STEVE_FAUST

@FAE.COM

GO TO NEXT RECORD

GO TO PREV. RECORD

GO TO MENU

PROOFREADERS INITIALS: O.I.W. O.J.R. OS.T.
O.J.C..O.L.R. OS.W.

FAEC COMMENTS:

☐ OK
☒ NEW
☐ AWAITING APPRO. VOID

STEVE D FAUST

109 SHORE DRIVE

BURR RIDGE IL 60521

UNITED STATES

630 920 9300

630 920 1524

STEVE_FAUST@FAE.COM EM

FIELDS TO EDIT

F M L T T2 PD LE LED A1 A2 A3 A4 C S Z CO P F M

TO MAKE CHANGES, JUST CLICK IN A FIELD ABOVE AND START TYPING. WHEN FINISHED CLICK TO THE NEXT FIELD OR USE THE TAB KEY.

100

BROWSE

FIG. 11

```

Go to Layout [ " Quick Find " ]
Enter Find Mode [ ]
Set Field [ " SentToFilm " , "=" ]
Set Field [ " ItemOrdered " , "Business Cards " ]
Set Field [ " RecordStatus " , "OK" ]
Set Field [ BillToNum " , "0157acsc " ]
Paste Literal [Select, "CreationDate " , "<="]
Paste Current Date [ " CreationDate"]
Perform Find [ ]
If [ " Status(CurrentFoundCount) = 0 " ]
    Perform Script [Sub-scripts , "FindforLithoTypeset Part 2 " ]
Else
End if
Loop
    If [ " Qty = 250 or Qty = 100 " ]
Else
    If [ " Qty = 500 " ]
        Set Field [ " SpareText5 " , " Qty " ]
        Set Field [ " Qty " , " 250 " ]
        Duplicate Record/Request
        Set Field [ " JobTicket " , "Dummy" ]
        Go to Record/Request/Page [First]
    Else
        If [ " Qty = 1000 " ]
            Set Field [ " SpareText5 " , " Qty " ]
            Set Field [ "Qty", "250"]
            Duplicate Record/Request
            Set Field [ " JobTicket " , "Dummy" ]
            Duplicate Record/Request
            Duplicate Record/Request
            Duplicate Record/Request
            Set Field [ " JobTicket " , "Dummy" ]
            Duplicate Record/Request
            Duplicate Record/Request
            Go to Record/Request/Page [First]
        End If
    End If
End If
End Loop
If [ " Status(CurrentFoundCount) = 6 or Status(CurrentFoundCount):

```

FIG. 12-1

FIG. 12-2

FIG. 12

FIG. 12-1

```
    Pause/Resume Script [ ]  
    Go to Record/Request/Page [First]  
    Perform Script [Sub-scripts , " Create Litho BCard Job Ticket " ]  
Else  
    Perform Script [Sub-scripts , " FindforLithoTypeset Part 2 " ]  
End If
```

FIG. 12-2

FIG. 13-1
FIG. 13-2
FIG. 13-3
FIG. 13-4
FIG. 13-5
FIG. 13-6
FIG. 13-7
FIG. 13-8
FIG. 13-9
FIG.13-10
FIG.13-11
FIG.13-12

FIG. 13

Script Step/ Options	Script Parameters
Go to Record/Request/Page First	
Set Field	PlateRefNum Calculation If(Sector Name="██████████ SpareGlobalNum+1& ██████████",SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard01 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████,SpareGlobalNum+1& ██████████",SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard02 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation

FIG. 13-1

Script Step/Options	Script Parameters
	If(Sector Name="██████████",SpareGlobalNum+1& ██████████",SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard03 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████",SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard04 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████",SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today

FIG. 13-2

Script Step/Options	Script Parameters
Send Apple Event	Event Specification: Application:Adobe PageMaker @6.5 Event Class:misc Event ID:dosc Field:BCard05 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████",SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe@PageMaker @6.5 Event Class:misc Event ID:dosc Field:BCard06 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████",SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe@PageMaker @6.5 Event Class:misc Event ID:dosc Field:BCard07

FIG. 13-3

Script Step/Options	Script Parameters
	Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard08 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard09 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	

FIG. 13-4

Script Step/Options	Script Parameters
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████",SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard10 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████",SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard11 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████",SpareGlobalNum+1)
Set Field	SenttoFilmDate

FIG. 13-5

Script Step/Options	Script Parameters
	Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard12 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard13 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc

FIG. 13-6

Script Step/Options	Script Parameters
	Event ID:dosc Field:BCard14 Wait for reply Bring application to foreground
Go to Record/Request/Page	
Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker® 6.5 Event Class:misc Event ID:dosc Field:BCard15 Wait for reply Bring application to foreground
Go to Record/Request/Page	
Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker® 6.5 Event Class:misc Event ID:dosc Field:BCard16 Wait for reply Bring application to foreground

FIG. 13-7

Script Step/Options	Script Parameters
Go to Record/Request/Page	
Next	
Set Field	PlateRefNum
	Calculation
	If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate
	Calculation
	Today
Send Apple Event	Event Specification:
	Application:Adobe®PageMaker®6.5
	Event Class:misc
	Event ID:dosc
	Field:BCard17
	Wait for reply
	Bring application to foreground
Go to Record/Request/Page	
Next	
Set Field	PlateRefNum
	Calculation
	If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate
	Calculation
	Today
Send Apple Event	Event Specification:
	Application:Adobe®PageMaker®6.5
	Event Class:misc
	Event ID:dosc
	Field:BCard18
	Wait for reply
	Bring application to foreground
Go to Record/Request/Page	
Next	
Set Field	PlateRefNum
	Calculation
	If(Sector Name="██████████",SpareGlobalNum+1&

FIG. 13-8

Script Step/Options	Script Parameters
	If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard19 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard20 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today

FIG. 13-9

Script Step/Options	Script Parameters
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard21 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard22 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard23

FIG. 13-10

Script Step/Options	Script Parameters
	Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard24 Wait for reply Bring application to foreground
Go to Record/Request/Page Next	
Set Field	PlateRefNum Calculation If(Sector Name="██████████",SpareGlobalNum+1& ██████████,SpareGlobalNum+1)
Set Field	SenttoFilmDate Calculation Today
Send Apple Event	Event Specification: Application:Adobe®PageMaker ®6.5 Event Class:misc Event ID:dosc Field:BCard25 Wait for reply Bring application to foreground
Go to Record/Request/Page First	

FIG. 13-11

Script Step/Options	Script Parameters
Omit Multiple	25
No dialog	
Set Field	SpareGlobalNum
	Calculation
	SpareGlobalNim+1

FIG. 13-12


```

"measureunits 3,3,10"&"¶" &
"select 2p5, 1p9"&"¶" &
"textedit"&"¶" &
"selectall" &"¶" &
If(Name ≠ Empty,"textenter " & Quote & NameTitle & Quote
&"¶","textenter " & Quote & " " & Quote &"¶") &
"textcursor -textblock" &"¶" &
"textselect +eol" &"¶" &
"font " & Quote & "BI Garamond BoldItalic" & Quote &"¶" &
"select 12p10, 4p6"&"¶" &
"textedit"&"¶" &
"selectall"&"¶" &
"textenter " & Quote & Trim(AddressBCardLthd) & Quote &"¶" &
"select 2p9, 10p10"&"¶" &
"textedit"&"¶" &
"selectall"&"¶" &
"textenter " & Quote & If(EDSTagLine = Empty, " ", EDSTagLine) &
Quote &"¶"
"pringoptionsps normalimage, off, off, fast, on, off, off,
off, off" &"¶" &
"print1(1,1)"&"¶"&
"close",
Empty)

```

FIG. 14




FIG. 15

```
If [ " Status(CurrentFoundCount) = 6 " ]  
    Perform Script [Sub-scripts , " CountFor6 " ]  
Else  
    If [ " Status(CurrentFoundCount) = 7 " ]  
        Perform Script [Sub-scripts , " CountFor7 " ]  
    Else  
        If [ " Status(CurrentFoundCount) = 8 " ]  
            Perform Script [Sub-scripts , " CountFor8 " ]  
        Else  
            If [ " Status(CurrentFoundCount) = 15 " ]  
                Perform Script [Sub-scripts , " CountFor14 " ]  
            Else  
                If [ " Status(CurrentFoundCount) ≥ 16 " ]  
                    Perform Script [Sub-scripts , " AutoTypeLithoCards " ]  
                End If  
            End If  
        End If  
    End If  
End If
```

FIG. 15-1

Go to Record/Request/Page [First]
Duplicate Record/Request
Set Field [" JobTicket " , " "Dummy" "]
Go to Record/Request/Page [No dialog , By Number...]
Duplicate Record/Request
Set Field [" JobTicket " , " "Dummy" "]
Go to Record/Request/Page [No dialog , By Number...]
Duplicate Record/Request
Set Field [" JobTicket " , " "Dummy" "]
Go to Record/Request/Page [No dialog , By Number...]
Duplicate Record/Request
Set Field [" JobTicket " , " "Dummy" "]
Go to Record/Request/Page [No dialog , By Number...]
Duplicate Record/Request
Set Field [" JobTicket " , " "Dummy" "]
Go to Record/Request/Page [No dialog , By Number...]

FIG. 15-2

New Record/Request
Set Field [" JobTicket " , " "Dummy" "]
Set Field [" FirstName " , " "ZZDummy" "]
Set Field [" City " , " "ZZDummy" "]
Set Field [" Address1 " , " "Dummy" "]
Sort [Restore , No dialog]
Perform Script [Sub-scripts , " AutoTypeLithoCards "]

FIG. 15-3

Set Error Capture [On]
Go to Layout [" Data Entry Form "]
Enter Find Mode []
Paste Literal [Select , " ExportedToJobTicket " , "="]
Perform Find []
If [" Status(CurrentFoundCount) > 0 "]
 Export Records []
 Go to Record/Request/Page [First]
 Paste Literal [Select , "ExportedToJobTicket " , " x "]
 Replace [" ExportedToJobTicket " , " Current contents "]
Else
 Beep
 Show Message [" There are no Business Cards to Export!!! "]
End If
Find All
Go to Layout [original layout]

FIG. 16